



sandgrau, 3000K CALA - 14W IP43 36° 350mA

Article nr.: 42147

für die Innenanwendung, IP43 · Gehäuse: Aluminium-Druckguss (Schutzglas, klar) · Gehäusefarbe: sandgrau · nicht schwenkbar · Ausstrahlwinkel: 36° · Leistung: 14 W · Lichtfarbe: 3000 K · Lichtstrom: 1450 lm · CRI: >80 · Lebensdauer L70B50: >= 50.000 h · Betriebsstrom: 350 mA DC · Schutzklasse III · Einbautiefe: 110 mm · Deckenausschnitt: 105 mm · Außendurchmesser: 116 mm · Energieeffizienzklasse: E · exklusive Konstantstrom-Konverter · SECONDLIFE ARTIKEL -stark rabattiert- Nur solange der Vorrat reicht! · <https://rutec.de/secondlife>

TECHNICAL DATA

Unit Code	Stück
BAR code	4012094421476
Housing colour	Sandgrau
Height	80.00 mm
Outer diameter	116 mm
Hole size	105 mm
Depth in ceiling	110.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1450.00 lm
Lamp	Inklusive LED






sandgrau, 3000K CALA - 14W IP43 36° 350mA

Article nr.: 42147

TECHNICAL DATA


IP rating	43
Power	14 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h






**sandgrau, 3000K CALA - 14W IP43 36°
350mA**
Article nr.: 42147

TECHNICAL DRAWING



Ø 105 mm



Ø 116 mm